

QUALITY OF LIFE SURVEY-Traumatic Brain Injury

Name:

DOB:

Date:

PRE / POST Vision Therapy

| | Never | Seldom | Occasional | Frequent | Always |
|---|-------|--------|------------|----------|--------|
| 1. Blurred vision at near | | | | | |
| 2. Double vision | | | | | |
| 3. Headaches associated with near work | | | | | |
| 4. Words run together when reading | | | | | |
| 5. Burning, stinging, watery eyes | | | | | |
| 6. Falling asleep when reading | | | | | |
| 7. Vision worse at the end of the day | | | | | |
| 8. Skipping or repeating lines when reading | | | | | |
| 9. Dizziness or nausea associated with near work | | | | | |
| 10. Head tilt or closing one eye when reading | | | | | |
| 11. Increased sensitivity to glare | | | | | |
| 12. Avoidance of reading and near work | | | | | |
| 13. Omitting small words when reading | | | | | |
| 14. Difficulty walking in a straight line | | | | | |
| 15. Misaligning digits in columns of numbers | | | | | |
| 16. Reading comprehension declining over time | | | | | |
| 17. Discomfort in Shopping centres or around crowds | | | | | |
| 18. Holding reading material too close | | | | | |
| 19. Short attention span | | | | | |
| 20. Forgetful, poor memory | | | | | |
| 21. Extreme fatigue after concentrating | | | | | |
| 22. Avoiding routine activities | | | | | |
| 23. Difficulty with hand tools – scissors, keys, calculator | | | | | |
| 24. Inability to estimate distances accurately | | | | | |
| 25. Tendency to knock things over on desk or table | | | | | |
| 26. Difficulty with concentration | | | | | |
| 27. Disorientation despite familiar surroundings | | | | | |
| 28. Misplaces or loses papers, objects, belongings | | | | | |
| 29. Car sickness/motion sickness | | | | | |
| 30. Drooping or asymmetrical eyelids | | | | | |